

Certificate of Analysis

Produced: Feb 18, 2025

Sample: SLEEP w CBN (Tincture) • Client: SoCal First Nations • Batch: Pass



Batch No.: 250211
Matrix: Tincture
Density: 0.91528 g/ml
Category: Edible
Sample ID: ICC-250211-22-002
Collected on: Feb 13, 2025
Received on: Feb 13, 2025
Batch Size:
Sample Size:
Received By: Olivia Trevino
Package Size: 29.90 g

Batch Result: Pass

Potency	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass		

Cannabinoid Overview

Δ⁹-THC:	419 mg/pkg
CBD:	0.00 mg/pkg
Total Cannabinoids:	511 mg/pkg
Sum of Cannabinoids:	511 mg/pkg

POT-INST-005: POT-INST-005: Potency • Feb 17, 2025

Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/g)	Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/g)
CBC	4.28	0.0143	0.131	0.0243/0.0730	CBT		ND	ND	0.0105/0.0369
CBD		ND	ND	0.00744/0.0369	Δ ⁸ -THC		ND	ND	0.00596/0.0369
CBDA		ND	ND	0.0178/0.0534	Δ ⁹ -THC	419	1.40	12.8	0.00984/0.0369
CBDV		ND	ND	0.00590/0.0369	THCA		ND	ND	0.0135/0.0406
CBG	3.95	0.0132	0.121	0.00840/0.0369	THCV	2.66	0.00888	0.0813	0.00455/0.0369
CBGA		ND	ND	0.0131/0.0394	Total THC**	419	1.40	12.8	
CBL		ND	ND	0.00580/0.0369	Total CBD**		ND	ND	
CBN	81.6	0.273	2.50	0.00840/0.0369					

** Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)

** Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope* *Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • Feb 14, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/ml)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/ml)	Pass/Fail
1,2-Dichloroethane	1	ND	0.167/0.508	Pass	Hexane	290	ND	0.0659/0.280	Pass
Acetone	5000	ND	17.0/51.1	Pass	Isopropyl alcohol	5000	ND	1.28/3.83	Pass
Acetonitrile	410	0.394	0.120/0.358	Pass	Methanol	3000	9.91	2.97/8.90	Pass
Benzene	1	ND	0.0210/0.0638	Pass	Methylene chloride	1	ND	0.127/0.728	Pass
Butane	5000	ND	0.969/4.84	Pass	Pentane	5000	ND	0.960/4.26	Pass
Chloroform	1	ND	0.0359/0.108	Pass	Propane	5000	ND	4.42/13.3	Pass
Ethanol	5000	ND	2.61/7.83	Pass	Toluene	890	< LOQ	0.0878/0.862	Pass
Ethyl acetate	5000	ND	0.312/2.28	Pass	Trichloroethylene	1	ND	0.0180/0.145	Pass
Ethylene oxide	1	ND	0.153/0.578	Pass	o-Xylene		ND	0.100/0.855	N/A
Ethyl ether	5000	ND	1.18/3.54	Pass	p- and m-Xylene		ND	0.115/1.71	N/A
Heptane	5000	ND	0.686/2.85	Pass	Total xylenes	2170	ND	0.0168/0.143	Pass

HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Feb 14, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

MICRO-PREP-001, MICRO-INST-001: MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (inhalable) • Feb 17, 2025

Analyte	Amt	Pass/Fail	Analyte	Amt	Pass/Fail
Aspergillus flavus	ND	N/A	Aspergillus terreus	ND	N/A
Aspergillus fumigatus	ND	N/A	Salmonella spp.	ND	Pass
Aspergillus niger	ND	N/A	Shiga toxin-producing E. coli	ND	Pass

PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Feb 17, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.05/6.20	N/A	Aflatoxin G2		ND	1.02/5.00	N/A
Aflatoxin B2		ND	1.63/5.00	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	1.77/5.38	N/A	Ochratoxin A	20	ND	5.42/16.4	Pass


PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • Feb 17, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					



PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • Feb 17, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.00863/0.0300	Pass
Acephate	5	ND	0.0209/0.0635	Pass	Imidacloprid	3	ND	0.00861/0.0300	Pass
Acequinocyl	4	ND	0.0115/0.0347	Pass	Kresoxim-methyl	1	ND	0.00703/0.0300	Pass
Acetamiprid	5	ND	0.00581/0.0300	Pass	Malathion	5	ND	0.00485/0.0300	Pass
Aldicarb	Any amt	ND	0.00935/0.0300	Pass	Metalaxyl	15	ND	0.00340/0.0300	Pass
Azoxystrobin	40	ND	0.00322/0.0300	Pass	Methiocarb	Any amt	ND	0.00542/0.0300	Pass
Bifenazate	5	ND	0.00473/0.0300	Pass	Methomyl	0.1	ND	0.00645/0.0300	Pass
Bifenthrin	0.5	ND	0.00583/0.0300	Pass	Mevinphos	Any amt	ND	0.0105/0.0319	Pass
Boscalid	10	ND	0.00747/0.0300	Pass	Myclobutanil	9	ND	0.00735/0.0300	Pass
Carbaryl	0.5	ND	0.00404/0.0300	Pass	Naled	0.5	ND	0.00459/0.0300	Pass
Carbofuran	Any amt	ND	0.00239/0.0300	Pass	Oxamyl	0.2	ND	0.00850/0.0300	Pass
Chlorantraniliprole	40	ND	0.00563/0.0300	Pass	Paclobutrazol	Any amt	ND	0.00577/0.0300	Pass
Chlorpyrifos	Any amt	ND	0.00807/0.0300	Pass	Permethrin	20	ND	0.00178/0.0300	Pass
Clofentezine	0.5	ND	0.00464/0.0300	Pass	Phosmet	0.2	ND	0.00527/0.0300	Pass
Coumaphos	Any amt	ND	0.00463/0.0300	Pass	Piperonylbutoxide	8	ND	0.00635/0.0300	Pass
Daminozide	Any amt	ND	0.0107/0.0325	Pass	Prallethrin	0.4	ND	0.0180/0.0546	Pass
Diazinon	0.2	ND	0.00926/0.0300	Pass	Propiconazole	20	ND	0.0124/0.0375	Pass
Dichlorvos	Any amt	ND	0.00728/0.0300	Pass	Propoxur	Any amt	ND	0.00524/0.0300	Pass
Dimethoate	Any amt	ND	0.00650/0.0300	Pass	Pyrethrins	1	ND	0.00192/0.0300	Pass
Dimethomorph	20	ND	0.00871/0.0300	Pass	Pyridaben	3	ND	0.00547/0.0300	Pass
Ethoprophos	Any amt	ND	0.00391/0.0300	Pass	Spinetoram	3	ND	0.00295/0.0300	Pass
Etofenprox	Any amt	ND	0.00550/0.0300	Pass	Spinosad	3	ND	0.00275/0.0300	Pass
Etoxazole	1.5	ND	0.00349/0.0300	Pass	Spiromesifen	12	ND	0.00540/0.0300	Pass
Fenhexamid	10	ND	0.00833/0.0300	Pass	Spirotetramat	13	ND	0.00648/0.0300	Pass
Fenoxycarb	Any amt	ND	0.00572/0.0300	Pass	Spiroxamine	Any amt	ND	0.00264/0.0300	Pass
Fenpyroximate	2	ND	0.00549/0.0300	Pass	Tebuconazole	2	ND	0.00895/0.0300	Pass
Fipronil	Any amt	ND	0.00771/0.0300	Pass	Thiacloprid	Any amt	ND	0.00177/0.0300	Pass
Fonicamid	2	ND	0.0151/0.0458	Pass	Thiamethoxam	4.5	ND	0.00553/0.0300	Pass
Fludioxonil	30	ND	0.0158/0.0478	Pass	Trifloxystrobin	30	ND	0.00234/0.0300	Pass
Hexythiazox	2	ND	0.0102/0.0308	Pass					



DM