



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-000016-LIC



## Grape Indica Puck

Sample ID: 2503LLI0221.0661  
Strain: Grape Indica Puck  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: ; Batch:

Produced:  
Collected: 03/06/2025  
Received: 03/06/2025  
Completed: 03/13/2025  
Batch#: SCFN-06124-GP

Client  
SoCal First Nations  
Lic. #  
25575 Highway 79  
Santa Ysabel, CA 92070



## Summary

| Test              | Date Tested | Result         |
|-------------------|-------------|----------------|
| Batch             |             | Pass           |
| Cannabinoids      | 03/07/2025  | Pass           |
| Water Activity    | 03/06/2025  | 0.61 aw - Pass |
| Residual Solvents | 03/08/2025  | Pass           |
| Microbials        | 03/07/2025  | Pass           |
| Mycotoxins        | 03/07/2025  | Pass           |
| Pesticides        | 03/07/2025  | Pass           |
| Heavy Metals      | 03/12/2025  | Pass           |
| Foreign Matter    | 03/06/2025  | Pass           |

## Cannabinoids

Pass

|                          |                         |                              |                          |
|--------------------------|-------------------------|------------------------------|--------------------------|
| <b>10.868 mg/serving</b> | <b>0.346 mg/serving</b> | <b>11.807 mg/serving</b>     | <b>11.807 mg/serving</b> |
| Total THC                | Total CBD               | Total Cannabinoids (Neutral) | Sum of Cannabinoids      |

| Analyte          | LOQ       | LOD       | Results       | Results       | Results       | Results        |
|------------------|-----------|-----------|---------------|---------------|---------------|----------------|
|                  | mg/g      | mg/g      | mg/serving    | mg/g          | mg/serving    | mg/container   |
| THCa             | 0.0000040 | 0.0000010 | ND            | ND            | ND            | ND             |
| Δ9-THC           | 0.0000040 | 0.0000010 | 10.868        | 10.868        | 10.868        | 108.680        |
| Δ8-THC           | 0.0000050 | 0.0000010 | ND            | ND            | ND            | ND             |
| THCV             | 0.0000090 | 0.0000030 | 0.132         | 0.132         | 0.132         | 1.320          |
| CBDa             | 0.0000010 | 0.0000003 | ND            | ND            | ND            | ND             |
| CBD              | 0.0000120 | 0.0000040 | 0.346         | 0.346         | 0.346         | 3.460          |
| CBDV             | 0.0000050 | 0.0000020 | ND            | ND            | ND            | ND             |
| CBN              | 0.0000040 | 0.0000010 | 0.104         | 0.104         | 0.104         | 1.040          |
| CBGa             | 0.0000030 | 0.0000010 | ND            | ND            | ND            | ND             |
| CBG              | 0.0000060 | 0.0000020 | 0.229         | 0.229         | 0.229         | 2.290          |
| CBC              | 0.0000010 | 0.0000003 | 0.128         | 0.128         | 0.128         | 1.280          |
| <b>Total THC</b> |           |           | <b>10.868</b> | <b>10.868</b> | <b>10.868</b> | <b>108.680</b> |
| <b>Total CBD</b> |           |           | <b>0.346</b>  | <b>0.346</b>  | <b>0.346</b>  | <b>3.460</b>   |
| <b>Total</b>     |           |           | <b>11.807</b> | <b>11.807</b> | <b>11.807</b> | <b>118.070</b> |

Date Tested: 03/07/2025  
10 serving(s) per container.

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids is Total Neutral Cannabinoids = Total THC + Total CBD + THCV + CBDV + CBN + CBG + CBC + Δ8-THC + (CBGa + CBDVa) \* 0.877; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-001-1 & SOP-012. Instrument: HPLC-PDA.



Hripsime Aleksanyan - Quality Assurance Supervisor  
03/13/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





## Grape Indica Puck

Sample ID: 2503LLI0221.0661  
Strain: Grape Indica Puck  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: ; Batch:

Produced:  
Collected: 03/06/2025  
Received: 03/06/2025  
Completed: 03/13/2025  
Batch#: SCFN-06124-GP

Client  
SoCal First Nations  
Lic. #  
25575 Highway 79  
Santa Ysabel, CA 92070

## Pesticides

Pass

| Analyte             | LOD    | LOQ    | Limit  | Results | Status | Analyte                 | LOD    | LOQ    | Limit  | Results | Status |
|---------------------|--------|--------|--------|---------|--------|-------------------------|--------|--------|--------|---------|--------|
|                     | µg/g   | µg/g   | µg/g   | µg/g    |        |                         | µg/g   | µg/g   | µg/g   | µg/g    |        |
| Abamectin           | 0.02   | 0.0608 | 0.1    | ND      | Pass   | Fludioxonil             | 0.0063 | 0.0191 | 0.1    | ND      | Pass   |
| Acephate            | 0.0032 | 0.0096 | 0.1    | ND      | Pass   | Hexythiazox             | 0.0051 | 0.0155 | 0.1    | ND      | Pass   |
| Acequinocyl         | 0.0048 | 0.0144 | 0.1    | ND      | Pass   | Imazalil                | 0.0052 | 0.0156 | 0.0052 | ND      | Pass   |
| Acetamiprid         | 0.0042 | 0.0127 | 0.1    | ND      | Pass   | Imidacloprid            | 0.0053 | 0.016  | 5      | ND      | Pass   |
| Aldicarb            | 0.0077 | 0.0232 | 0.0077 | ND      | Pass   | Kresoxim Methyl         | 0.0035 | 0.0106 | 0.1    | ND      | Pass   |
| Azoxystrobin        | 0.0038 | 0.0114 | 0.1    | ND      | Pass   | Malathion               | 0.0053 | 0.0161 | 0.5    | ND      | Pass   |
| Bifenazate          | 0.0056 | 0.017  | 0.1    | ND      | Pass   | Metalaxyl               | 0.0045 | 0.0137 | 2      | ND      | Pass   |
| Bifenthrin          | 0.0045 | 0.0136 | 3      | ND      | Pass   | Methiocarb              | 0.0049 | 0.0148 | 0.0049 | ND      | Pass   |
| Boscalid            | 0.0066 | 0.0199 | 0.1    | ND      | Pass   | Methomyl                | 0.0048 | 0.0145 | 1      | ND      | Pass   |
| Captan              | 0.0235 | 0.0712 | 0.7    | ND      | Pass   | Mevinphos               | 0.0039 | 0.0118 | 0.0039 | ND      | Pass   |
| Carbaryl            | 0.0042 | 0.0127 | 0.5    | ND      | Pass   | Myclobutanil            | 0.006  | 0.0182 | 0.1    | ND      | Pass   |
| Carbofuran          | 0.0051 | 0.0155 | 0.0051 | ND      | Pass   | Naled                   | 0.0021 | 0.0064 | 0.1    | ND      | Pass   |
| Chlorantraniliprole | 0.0062 | 0.0188 | 10     | ND      | Pass   | Oxamyl                  | 0.0069 | 0.0209 | 0.5    | ND      | Pass   |
| Chlordane           | 0.0204 | 0.0619 | 0.0204 | ND      | Pass   | Paclbutrazol            | 0.0059 | 0.0179 | 0.0059 | ND      | Pass   |
| Chlorfenapyr        | 0.0217 | 0.0657 | 0.0217 | ND      | Pass   | Methyl Parathion        | 0.0168 | 0.051  | 0.0168 | ND      | Pass   |
| Chlorpyrifos        | 0.01   | 0.0303 | 0.01   | ND      | Pass   | Pentachloronitrobenzene | 0.0055 | 0.0168 | 0.1    | ND      | Pass   |
| Clofentezine        | 0.0036 | 0.011  | 0.1    | ND      | Pass   | Permethrin              | 0.0063 | 0.019  | 0.5    | ND      | Pass   |
| Coumaphos           | 0.0068 | 0.0205 | 0.0068 | ND      | Pass   | Phosmet                 | 0.0043 | 0.0131 | 0.1    | ND      | Pass   |
| Cyfluthrin          | 0.0217 | 0.0657 | 2      | ND      | Pass   | Piperonyl Butoxide      | 0.006  | 0.0181 | 3      | ND      | Pass   |
| Cypermethrin        | 0.0066 | 0.0199 | 1      | ND      | Pass   | Prallethrin             | 0.0046 | 0.0139 | 0.1    | ND      | Pass   |
| Daminozide          | 0.0058 | 0.0176 | 0.0058 | ND      | Pass   | Propiconazole           | 0.0085 | 0.0258 | 0.1    | ND      | Pass   |
| Diazinon            | 0.0074 | 0.0224 | 0.1    | ND      | Pass   | Propoxur                | 0.0068 | 0.0206 | 0.0068 | ND      | Pass   |
| Dichlorvos          | 0.0041 | 0.0123 | 0.0041 | ND      | Pass   | Pyrethrins              | 0.0041 | 0.0125 | 0.5    | ND      | Pass   |
| Dimethoate          | 0.0036 | 0.0108 | 0.0036 | ND      | Pass   | Pyridaben               | 0.0061 | 0.0186 | 0.1    | ND      | Pass   |
| Dimethomorph        | 0.0072 | 0.0217 | 2      | ND      | Pass   | Spinetoram              | 0.005  | 0.015  | 0.1    | ND      | Pass   |
| Ethoprophos         | 0.0041 | 0.0123 | 0.0041 | ND      | Pass   | Spinosad                | 0.0052 | 0.0157 | 0.1    | ND      | Pass   |
| Etofenprox          | 0.0044 | 0.0133 | 0.0044 | ND      | Pass   | Spiromesifen            | 0.0061 | 0.0184 | 0.1    | ND      | Pass   |
| Etozazole           | 0.0055 | 0.0167 | 0.1    | ND      | Pass   | Spirotetramat           | 0.0042 | 0.0127 | 0.1    | ND      | Pass   |
| Fenhexamid          | 0.0049 | 0.0147 | 0.1    | ND      | Pass   | Spiroxamine             | 0.0048 | 0.0145 | 0.0048 | ND      | Pass   |
| Fenoxycarb          | 0.0047 | 0.0142 | 0.0047 | ND      | Pass   | Tebuconazole            | 0.006  | 0.0182 | 0.1    | ND      | Pass   |
| Fenpyroximate       | 0.0055 | 0.0168 | 0.1    | ND      | Pass   | Thiacloprid             | 0.0056 | 0.0169 | 0.0056 | ND      | Pass   |
| Fipronil            | 0.0075 | 0.0227 | 0.0075 | ND      | Pass   | Thiamethoxam            | 0.0047 | 0.0142 | 5      | ND      | Pass   |
| Fonicamid           | 0.004  | 0.0122 | 0.1    | ND      | Pass   | Trifloxystrobin         | 0.0023 | 0.007  | 0.1    | ND      | Pass   |

Date Tested: 03/07/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002.

Instrument: LC-MSMS.



Hripsime Aleksanyan - Quality Assurance Supervisor  
03/13/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
<http://www.landaulabs.com>  
Lic# C8-000016-LIC



## Grape Indica Puck

Sample ID: 2503LLI0221.0661  
Strain: Grape Indica Puck  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: ; Batch:

Produced:  
Collected: 03/06/2025  
Received: 03/06/2025  
Completed: 03/13/2025  
Batch#: SCFN-06124-GP

Client  
**SoCal First Nations**  
Lic. #  
25575 Highway 79  
Santa Ysabel, CA 92070

## Residual Solvents

Pass

| Analyte             | LOD  | LOQ  | Limit | Results | Status |
|---------------------|------|------|-------|---------|--------|
|                     | µg/g | µg/g | µg/g  | µg/g    |        |
| 1,2-Dichloro-Ethane | 0.2  | 0.5  | 1     | ND      | Pass   |
| Acetone             | 25.7 | 81.6 | 5000  | ND      | Pass   |
| Acetonitrile        | 3.5  | 11.2 | 410   | <LOQ    | Pass   |
| Benzene             | 0.03 | 0.1  | 1     | ND      | Pass   |
| Butane              | 1.6  | 5.1  | 5000  | ND      | Pass   |
| Chloroform          | 0.1  | 0.2  | 1     | ND      | Pass   |
| Ethanol             | 1.6  | 5.1  | 5000  | 33.81   | Pass   |
| Ethyl-Acetate       | 1.7  | 5.6  | 5000  | ND      | Pass   |
| Ethyl-Ether         | 1.7  | 5.4  | 5000  | ND      | Pass   |
| Ethylene Oxide      | 0.1  | 0.4  | 1     | ND      | Pass   |
| Heptane             | 2.2  | 7.1  | 5000  | ND      | Pass   |
| Isopropanol         | 4.4  | 14   | 5000  | ND      | Pass   |
| Methanol            | 4.3  | 13.6 | 3000  | 112.59  | Pass   |
| Methylene-Chloride  | 0.2  | 0.6  | 1     | ND      | Pass   |
| n-Hexane            | 0.1  | 0.4  | 290   | ND      | Pass   |
| Pentane             | 5.4  | 17.2 | 5000  | ND      | Pass   |
| Propane             | 8.7  | 27.6 | 5000  | ND      | Pass   |
| Toluene             | 1.1  | 3.4  | 890   | ND      | Pass   |
| Trichloroethylene   | 0.04 | 0.1  | 1     | ND      | Pass   |
| m+p Xylene          | 4.9  | 15.7 |       |         |        |
| o-Xylene            | 1.4  | 4.4  |       |         |        |
| Total Xylenes       |      |      | 2170  | ND      | Pass   |

Date Tested: 03/08/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-004

Instrument: HS-GC/MS



Hripsime Aleksanyan - Quality Assurance Supervisor  
03/13/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-000016-LIC



## Grape Indica Puck

Sample ID: 2503LLI0221.0661  
Strain: Grape Indica Puck  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: ; Batch:

Produced:  
Collected: 03/06/2025  
Received: 03/06/2025  
Completed: 03/13/2025  
Batch#: SCFN-06124-GP

Client  
SoCal First Nations  
Lic. #  
25575 Highway 79  
Santa Ysabel, CA 92070

## Microbials

Pass

| Analyte                       | Results            | Status |
|-------------------------------|--------------------|--------|
| Shiga toxin-producing E. Coli | Not Detected in 1g | Pass   |
| Salmonella SPP                | Not Detected in 1g | Pass   |

Date Tested: 03/07/2025

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-006. Instrument: PCR.

## Mycotoxins

Pass

| Analyte          | LOD   | LOQ   | Limit | Results | Status |
|------------------|-------|-------|-------|---------|--------|
|                  | µg/kg | µg/kg | µg/kg | µg/kg   |        |
| Aflatoxin B1     | 1.5   | 4.7   |       | ND      | Tested |
| Aflatoxin B2     | 1.4   | 4.3   |       | ND      | Tested |
| Aflatoxin G1     | 1     | 3     |       | ND      | Tested |
| Aflatoxin G2     | 1.3   | 3.9   |       | ND      | Tested |
| Total Aflatoxins |       |       | 20    | ND      | Pass   |
| Ochratoxin A     | 2.6   | 8     | 20    | ND      | Pass   |

Date Tested: 03/07/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

## Heavy Metals

Pass

| Analyte | LOD    | LOQ   | Limit | Results | Status |
|---------|--------|-------|-------|---------|--------|
|         | µg/g   | µg/g  | µg/g  | µg/g    |        |
| Arsenic | 0.0161 | 0.05  | 1.5   | ND      | Pass   |
| Cadmium | 0.0155 | 0.05  | 0.5   | ND      | Pass   |
| Lead    | 0.0144 | 0.05  | 0.5   | ND      | Pass   |
| Mercury | 0.0012 | 0.005 | 3     | ND      | Pass   |

Date Tested: 03/12/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-005. Instrument: ICP-MS.



Hripsime Aleksanyan - Quality Assurance Supervisor  
03/13/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.